


PRODUCT DATA SHEET

Solidline SC4R



Solidline SC4R

PRODUCT DESCRIPTION

The versatile, powerful SC4R clip light delivers flexible light with up to 200 lumens for various mobile applications where you need your hands free. The innovative gesture control makes the SC4R quick and convenient to switch on and off with simple hand motions. The clip and the built-in magnet offer various attachment options, for example to clothing, backpacks or metal surfaces. The ball joint further allows the lamp head to be aimed in virtually any direction. The SC4R features both white light and red light. The integrated battery pack can easily be recharged at any time with the micro-USB port.

- Flexible clip light with practical ball joint
- Powerful white light and red light LED with five lighting options and up to 200 lumens of power
- Innovative Gesture Control - light can be turned on and off easily with the wave of a hand
- Various attachment options thanks to Clip (MOLLE compatible) and magnet
- Integrated battery pack, rechargeable via micro-USB port

TECHNICAL DATA

Width [mm]	68
Depth [mm]	35
Height [mm]	25
Weight incl. batteries [g]	35
Focus function	No
Primary material	PC + ABS
Optic	Reflector + lense (PMMA)
Cartridge	No

POWER SUPPLY

Power source type	Rechargeable battery
Battery quantity	1
Battery type	Li-ion
Battery replaceable	No
Total battery voltage [V]	3.7
Total battery capacity [mAh]	500
Total battery energy ² [Wh]	1.85
Rechargeable	Yes
Charging time ⁵ [min]	90
Energy status indicator	Charge Indicator

FURTHER SPECIFICATIONS

IP class	IP44
Drop test (drop height) [m]	2
Working temperature range [°C]	-20 to +40

LIGHT FUNCTIONS

Low Power, Mid Power, Power, Blink

LIGHT SOURCE

Amount LEDs	1
LED type	COB LED
Color	White
Color temperature [K]	6000 to 7000
Color rendering index (CRI)	70

LIGHT VALUES

ANSI – Energy Saving	Boost	Power	Mid Power	Low Power
Light output ¹ [lm]		200	20	5
Run time ¹ [h]		2.5	12	75

SWITCH

Switch

FEATURES

Red Light

Solidline SC4R

PACKAGING AND LOGISTICS



PACKAGING INFORMATION

Type of packaging	Blister
Scope of delivery	USB cable
Item No.	502228
Customs tariff number	8513100000
Color	black

SINGLE PACKAGE

Dimensions W x H x D [cm]	11.2 x 20.5 x 6.6
Gross weight [g]	93
GTIN-13	4058205022095

INNER CARTON

Unit	6
Dimensions W x D x H [cm]	57.5 x 11.8 x 21.5
Gross weight [g]	1060
GTIN-13	4058205022101

EXPORT CARTON

Unit	24
Dimensions W x D x H [cm]	60.5 x 26.5 x 47.5
Gross weight [kg]	5.25
GTIN-13	4058205022118

Solidline SC4R

PRODUCT SERIES

The Solidline-Series

High quality, low prices

Best quality for budget-conscious users of portable lights – this is the concept of the Solidline range designed by Ledlenser. The comprehensive range of flashlights, headlamps and multipurpose lamps employs outstanding technologies and features to supply the optimal light for various applications. To remain easy on your wallet even after the purchase, almost all lamps in this range can either be charged directly or can optionally be upgraded with rechargeable batteries.

FOOTNOTES

The information pertaining to scope of delivery, appearance, performance, dimensions and weight corresponds to the information available at the time of publication. In the interest of product development, we reserve the right to change scope of delivery, appearance, design and color without prior notice. Product images may vary from the actual products and may show optional accessories which can be purchased separately. Errors and omissions excepted.

1) Measurement values according to ANSI FL1 in the respective setting. If no setting is explicitly indicated, the values refer to luminous flux (lumens/lm) and lighting range (meters/m) on the highest setting, and to battery duration (hours/h) on the lowest setting. A boost function (if available) can be used several times, but only for short periods of time. If the light is equipped with (a) colored LED(s), the measurement values are given for the white light or the white LED. If the light has different energy modes, the measurement is made based on the "energy saving mode".

2) Calculated capacity value in watt-hours (Wh). This applies to the delivery state of the battery/ies inside the respective item, or for lights with rechargeable battery/ies, to the rechargeable battery/ies inside the product when fully charged.

5) Charging time varies by hardware used.